




State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095
(603) 271-1370 FAX (603) 271-1381



July 14, 2000

Ms. Marcella Perry
Middleton Building Supply Inc.
Operations Manager
5 Kings Highway
Middleton, New Hampshire 03887

LETTER OF COMPLIANCE
For
LETTER OF DEFICIENCY
No. ARD 2000-007

Dear Ms. Perry:

The Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken by Middleton Building Supply, Inc. in response to Letter of Deficiency No. 2000-007. DES has determined that the specific issues addressed in the Letter of Deficiency have been resolved in a manner consistent with DES rules relating to air pollution control. Therefore, DES hereby issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status of Middleton Building Supply, Inc. and that this letter does not provide relief against any existing or future violations.

If you have any questions regarding this matter, please contact Raymond Walters of the DES, Air Resources Division, Compliance Bureau at (603) 271-6288. Thank you for your cooperation.

Sincerely,

Robert R. Scott
Administrator
Compliance Bureau
Air Resources Division

RRS/dmj

cc: K. Colburn, Director, DES/ARD
T. McCusker, EPA Region I
G. Rule, DES, O/C
P. Larson, Chairman of Selectmen, Town of Middleton
Enforcement File

H:\Loc\MiddletonBSLoC700.doc